Peachtree City Dog Park Association

Regularly scheduled business meeting of July 10, 2018 It was determined that a quorum was present and the meeting was called to order at 6:40pm.

In attendance were Maureen Kuebler, Mike Lossner, Rita Wilkinson, Steve Brown and Bruce Kirby.

Old Business:

- 1. Minutes from the April meeting were read and a motion made to approve those minutes unanimously carried.
- 2. Treasurer's Report: Total Deposits for June: \$1,096.18; expenses \$735. Bank balance as of 6/30/2018: \$14,992.41. A motion made to approve the report unanimously carried.
- 3. Landscaping: Robinson and Son were hired to maintain the grounds.
- 4. Eagle Scout project: Liam Aran has not been in contact but he did cash the \$200 check we contributed toward the swing.
- 5. Fence mending: Stanley hasn't been seen so the fence guide wire installation is on hold.
- 6. Tree trimming. Still waiting for public works to top the sweetgum tree next to the gazebo. Scott Hicks (Public Works Dept) will be contacted again about this.
- 7. Cement pads: Maureen will continue to look for estimates on cement pads and talk with Scott Hicks. We were reminded that the shut off valves to the faucets must be located before this can proceed. She will also try to find a bobcat and driver to clear soil and spread mulch.
- 8. Membership drive: Steve has posted a sign at the gate warning patrons of the upcoming collections. Receipts have increased already. Additional signs are ready to post along the drive and two card readers have been ordered for processing payments. Gate collections will most likely begin before the end of July.

New Business:

- 1. The gazebos are in dire need of a gentle pressure washing and water-proofing. (While pressure washing is done, the chairs stored in the rear gazebo need attention as well.) Mike will look for someone to do this. The loose railings were repaired by Steve.
- 2. The dog park's push lawn mower needs a new transmission. Mike is investigating the cost to repair it.

Meeting adjourned at 7:28pm